

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	55	(divid\$3 or split\$4) with (quer\$3) and (priorit\$6) with (quer\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:04
L2	2	(priorit\$6) with (sub-quer\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:04
L3	39	(proactiv\$3 with updat\$3 with cach\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:04
L4	33	(proactiv\$3 with updat\$3 with cach\$3) and (priorit\$6) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:05
L5	15	cach\$3 and ((user or customer or consumer) with (select\$3 or choos\$3 or pick\$3) with (result or answer) with (cach\$3)) and (quer\$3 with request\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:05
L6	2	cach\$3 and (flight) and (departure with time) with (cach\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:07
L7	24	cach\$3 and (flight) with (time) with (cach\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:08

L8	14	cach\$3 and (seat) with (availab\$6) with (prior\$6 or order\$3 or sequenc\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:14
L9	363	(seat) with (availab\$6) with (prior\$6 or order\$3 or sequenc\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:14
L10	241	(hash\$3 or index\$3) with (flight or departure) with (time) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:16
L11	151	(hash\$3 or index\$3) and (database or record or table) and (hash\$3 or index\$) with (flight or departure) with (time) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:17
L12	0	(Cach\$3) with (wait\$3) with (real near time) with (result or answer) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:22
L13	8	(Cach\$3) with (wait\$3) with (real near time) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/30 06:22
S1	37	cache and airline and seasonal	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 15:59
S2	1	"6807572".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 16:07
S3	1	"5826269".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 16:07
S4	328	(updat\$3 with cach\$3) and (quer\$3 with request\$3) and (prior\$6 with (request\$3)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 17:22

S5	86	(request\$3 with updat\$3 with cach\$3) and (quer\$3 with request\$3) and (prior\$6 with (request\$3)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 17:23
S6	44	(request\$3 with updat\$3 with cach\$3) and (quer\$3 with request\$3) and (priorit\$4 with (request\$3)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 17:24
S7	47	(divid\$3 or split\$4) with (quer\$3) and (priorit\$6) with (quer\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 17:54
S8	2	(priorit\$6) with (sub-quer\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 18:00
S9	4	(proactiv\$3 with updat\$3 with cach\$3) and (quer\$3 with request\$3) and (priorit\$4 with (request\$3)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 18:23
S10	34	(proactiv\$3 with updat\$3 with cach\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 18:25
S11	0	(proactiv\$3 with updat\$3 with cach\$3) same (priorit\$6) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 19:13
S12	28	(proactiv\$3 with updat\$3 with cach\$3) and (priorit\$6) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 19:14

S13	58	cach\$3 and ((user or customer or consumer) with (request\$3) with (real near time)) and (quer\$3 with request\$3) and (prior\$6 with (request\$3)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922"))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 19:58
S14	96	cach\$3 and ((user or customer or consumer) with (select\$3 or choos\$3 or pick \$3) with (real near time)) and (quer\$3 with request\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922"))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 20:01
S15	111	cach\$3 and ((user or customer or consumer) with (select\$3 or choos\$3 or pick \$3) with (cach\$3)) and (quer \$3 with request\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922"))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 20:06
S16	2441	cach\$3 and ((user or customer or consumer) with (select\$3 or choos\$3 or pick \$3) (result or answer) with (cach\$3)) and (quer\$3 with request\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922"))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 20:22
S17	14	cach\$3 and ((user or customer or consumer) with (select\$3 or choos\$3 or pick \$3) with (result or answer) with (cach\$3)) and (quer\$3 with request\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922"))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 20:22
S18	19	cach\$3 and ((user or customer or consumer) with (select\$3 or choos\$3 or pick \$3) with (result or answer) with (cach\$3)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922"))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 20:27

S19	5	S18 not S17	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 20:27
S20	4	cach\$3 and ((user or customer or consumer) with (select\$3 or choos\$3 or pick \$3) with (result or answer) with (real near time)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 20:30
S21	3	((US-20020147724-\$ or US- 20040064570-\$).did. or (US- 6922708-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/03/02 20:32
S22	0	S21 and (prox\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/02 20:32
S23	27	(quer\$5 with prox\$3 with source) and (stor\$3 or updat \$3) with (cache)	US-PGPUB; USPAT	OR	OFF	2008/03/02 20:33
S24	6	(quer\$5 with prox\$3 with source) and (stor\$3 or updat \$3) with (cache) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT	OR	OFF	2008/03/02 20:34
S25	14	(real near time) with (recent \$3) with (updat\$3) and (stor \$3 or updat\$3) with (cach \$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT	OR	OFF	2008/03/02 22:31
S26	14	(real near time) with (recent \$3) with (updat\$3) and (stor \$3 or updat\$3) with (cach \$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/02 22:32
S27	806	(cach\$3) with (select\$4) with (user) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/02 23:19
S28	117	(cach\$3) with (server) with (select\$4) with (user) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/02 23:19

S29	11	(cach\$3) with (real near time) with (select\$4) with (user) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/02 23:20
S30	22	(cach\$3) with (choice) with (user) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/02 23:23
S31	4	(searh\$3 or query\$3) with (cache) with (real near time) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 23:45
S32	4	(search\$3 or query\$3) with (cache) with (real near time) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 23:45
S33	105	(search\$3 or query\$3) with (cache) with (updated) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 23:47
S34	7	(search\$3 or query\$3) with (cache) with (up-to-date) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/02 23:50
S35	179	(prox\$3) with (query\$3) and (status) with (prox\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/24 13:43
S36	210	(prox\$3) with (query\$3) and (load) with (prox\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/24 13:46
S37	81	(prox\$3) with (query\$3) and (load) with (prox\$3)with (request or query\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/24 13:46
S38	805	(response) with (time) with (prox\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/24 13:50
S39	0	(response) with (time) with (prox\$3) with (selct\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/24 13:50
S40	28	(response) with (time) with (prox\$3) with (select\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/24 13:50
S41	106	(prior\$6) with (worker) with (thread)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/24 14:00
S42	1	"5414809".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/10 09:53

S43	6	"178007".ap.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/17 13:41
S44	6851	cach\$3 with (prior\$5) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 10:06
S45	299	cach\$3 with (prior\$5) with (value) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 10:11
S46	27	(updat\$3 or fill\$3) with cach \$3 with (prior\$5) with (value) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 10:12
S47	12	(prox\$3 with status) same (query\$3 or search\$3) with (prox\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 10:37
S48	19	(prox\$3 with load\$3) same (query\$3 or search\$3) with (prox\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 10:40
S49	11	(prox\$3 with (response or respond\$3) with time) same (query\$3 or search\$3) with (prox\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 10:52
S50	0	(unsupported with supplier) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:02
S51	298	(unsupported with (supplier or provider or source or database)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:03

S52	287	(unsupported with (supplier or provider or source)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:03
S53	21	(unsupported with (supplier or provider or database)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:03
S54	949	(prior\$6 with prox\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:13
S55	22	(prior\$6 with availab\$6 with prox\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:13
S56	41	(prior\$6 with prox\$3) same (availab\$6 with prox\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:17
S57	19	S56 not S55	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:18
S58	6	"667235".ap.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:21
S59	4	(flight with availab\$6 with (count or number) same (cach\$3)) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:51
S60	863	(cach\$3) with (real near time) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:59
S61	15	(cach\$3) with (after) with (real near time) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 11:59

S62	19	(wait\$3 with (real near time)) same cach\$3 and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:05
S63	969	(prox\$3) with (code) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:09
S64	69	(airline or flight) and (prox \$3) with (code) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:09
S65	0	(airline or flight) and (prox \$3) with (legacy) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:13
S66	4	(airline or flight) and (prox \$3) with (legacy) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:14
S67	139	(prox\$3) with (legacy) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:15
S68	11435813	(prox\$3) with (legacy) with codeand (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:15
S69	3	(prox\$3) with (legacy) with code and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:15
S70	0	"46715".ap.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/30 12:16
S71	0	"46715".ap.	DERWENT	OR	ON	2008/12/30 12:16
S72	19	demarcken.in.	DERWENT	OR	ON	2008/12/30 12:17
S73	555	galperin.in.	DERWENT	OR	ON	2008/12/30 12:21
S74	6	galperin.in. and demarcken.in.	DERWENT	OR	ON	2008/12/30 12:21

S75	296	ita.as.	DERWENT	OR	ON	2008/12/30 12:22
S76	8	ita.as. and availability	DERWENT	OR	ON	2008/12/30 12:22
S77	1	faring with process and availability	DERWENT	OR	ON	2008/12/30 12:23
S78	49	faring with process and availability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:23
S79	278	thread with (query\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:28
S80	5129901	background withh thread with (query\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:31
S81	3	background with thread with (query\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 12:31
S82	0	background with thread with (serach\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 13:49
S83	6	background with thread with (search\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 13:49
S84	24	background with thread with (cach\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 13:55
S85	9	background with thread with (quer\$3 or search\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 14:17

S86	52	(filter\$3 with quer\$3 with cach\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 14:27
S87	126	(priority or priorit\$6) with prox\$3 and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 14:42
S88	3656	(first) with prox\$3 and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 14:46
S89	1	(priority or priorit\$6) with prox\$3 same (prox\$3 with load) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 14:47
S90	23	(priority or priorit\$6) near2 prox\$3 and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 14:48
S91	10	(priority or priorit\$6) with prox\$3 with (queu\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 14:49
S92	10	(time with limit with (real near time)) same cach\$3 and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 14:59
S93	825	(prox\$3) with (translat\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 15:24
S94	13	(prox\$3) with (translat\$3) with code and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 15:24

S95	1679	(likelihood or probability or chance) with (cach\$4) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/30 15:26
S96	0	(prox\$3) with (legacy) with (language) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/05 06:50
S97	3	(prox\$3) with (legacy) with (code) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/05 06:50
S98	20	(prox\$3) with (language) with (source or supplier or provider) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/05 06:51
S99	13	simulat\$6 with (response or repli\$3 or answer) with (prox\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/05 07:35
S100	2771	cach\$3 with (least with used) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/05 08:08

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	37	(divid\$3 or split\$4) with (quer\$3) and (priorit\$6) with (quer\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	USPAT; UPAD	OR	OFF	2009/09/30 06:25
L15	85	(divid\$3 or split\$4) with (quer\$3) and (priorit\$6) with (quer\$3)	USPAT; UPAD	OR	OFF	2009/09/30 06:25
L16	1	(priorit\$6) with (sub-quer\$3) and (@ad<"20000922" or @rlad<"20000922" or @prad<"20000922" or @pd<"20000922")	USPAT; UPAD	OR	OFF	2009/09/30 06:26

L17	4	(priorit\$6) with (sub-quer\$3)	USPAT; UPAD	OR	OFF	2009/09/30 06:26
L18	24	(proactiv\$3 with updat\$3 with cach\$3)	USPAT; UPAD	OR	OFF	2009/09/30 06:26
L19	291	(seat) with (availab\$6) with (prior \$6 or order\$3 or sequenc\$3)	USPAT; UPAD	OR	OFF	2009/09/30 06:28
L20	1	(seat) with (availab\$6) with (prior \$6 or order\$3 or sequenc\$3) same (cach\$3)	USPAT; UPAD	OR	OFF	2009/09/30 06:28
L21	17	(seat) with (availab\$6) with (prior \$6 or order\$3 or sequenc\$3) and (cach\$3)	USPAT; UPAD	OR	OFF	2009/09/30 06:29
L22	197	(hash\$3 or index\$3) with (flight or departure) with (time)	USPAT; UPAD	OR	OFF	2009/09/30 06:29
L23	45	(hash\$3 or index\$3) with (flight or departure) with (time) and (hash\$3 or index\$3) with (table or database or record)	USPAT; UPAD	OR	OFF	2009/09/30 06:29
L24	11	(Cach\$3) with (wait\$3) with (real near time)	USPAT; UPAD	OR	OFF	2009/09/30 06:30

9/30/2009 6:30:34 AM

C:\Documents and Settings\ssaliard\My Documents\EAST\Workspaces\09667235.wsp